Sanitized Copy App	oroved for Release 2011/07/18 : CIA-RDP8	DOIL AZO
TOD.	Deputy Director for Administra	ecember 1986 cation 25X1
MEMORANDUM FOR: FROM:	John M. Ray Director of Logistics	
SUBJECT:	Report of Significant Logist the Period Ending 10 December	ics Activities for r 1986 25X1
l. <u>Events</u> <u>Precedi</u>	of Major Interest That Have Ong Week:	ccurred During the
Chief, New Build National Capital Agency's submiss 123 and 193 on 4 approved the sub b. OL	e Office of Logistics (OL) repling Project Office (NDPO), OL Planning Commission's publication for off-site road improved December The Tommission uncomission.  reports that the Deputy Direction of the dissolution of the on 3 December.	hearing on the ments to Routes animously
		25%1
alli Nagogi	3 December, Ms. Lilla Richar ation telephoned the Chief, NOL, regarding the Scattergoo	ew Bullaing
		25X1
	SECRET	

property. Specifically, she expressed the desire of a number of interested citizens that the house on the property not be demolished. She asked if CIA would provide a letter indicating that the house would not be destroyed. Following a discussion with the Director of Logistics ( $D/\bar{L}$ ) on 5 December, Chief, NBPO, advised Ms. Richards on 8 December that the property currently belongs to General Services Administration, and that CIA has not determined exactly how the property would be utilized should it be transferred to the Agency. Ms. Richards indicated she wished to express the citizens' concern in writing. Chief, NBPO, provided her with the D/L's official mailing address.

25X1

OL reports that the Bid Package 4 contractor completed the repairs of the southside chilled water lines at one of the locations of leaks. The system has been refilled and pressure testing and ultrasonic testing is ongoing to determine if there are additional leaks.

25X1

f. OL received a sole-source requirement from the Office of Finance to contract for survey/evaluation services which will determine the Agency's implementation requirements for the establishment of the "Thrift Savings Plan" mandated under the Federal Employees Retirement System recently enacted by Congress.

25X1

g. OL issued a firm-fixed price contract in the amount of \$4,653,460 to IBM Corporation on 3 December. contract was issued on behalf of the Office of Information Technology for the fiscal year 1987 maintenance services of IBM hardware equipment throughout the Agency and Defense Intelligence Agency (SAFE Program).

2<sup>2</sup>2<sup>2</sup>5x1 h. OL awarded a contract in the amount of \$149,625 to Systems Planning Corporation. The contract, written on behalf of the National Intelligence Council, National Intelligence Officer for Foreign Denial and Intelligence Activities, will provide expert support in the design and implementation of a study to assess the technologies needed in the future to deal with major intelligence questions relating to foreign aerospace systems and other high-priority intelligence functions.

25X1

The Plain Text Processing Equipment (PTPE) Advisory Committee attended a meeting that was held by the Office of Security on 3 December. Representatives from OL PTPE Committee were briefed on the facility fit-up progress and production status of the various certification systems being installed for the Spring of 1987. The statement of work for the systems integrator proposal will be sent to prospective contractors before the end of December.

25X1

2

j. OL awarded a sole-source, firm-fixed price delivery order in the amount of \$581,015 on behalf of the Office of Communications for the acquisition of TERP IIA Teletypewriter equipment. This procurement meets the final requirement for this type of equipment under the Office of Communications Capitalization Program. Delivery of all equipment is expected by 30 June 1987.  k. OL reports that due to a miscalculation by M&M Welding, a plumbing contractor, several ground floor rooms located in the Printing and Photography Building were flooded over the weekend when the contractor was switching the water over from the old pipe system to the new system. Several pieces of photographic equipment were drenched along with the electrical fire alarm system. Allied and the Security Duty Office responded to the emergency and repaired the alarm system immediately. The extent of damage to the equipment is currently under evaluation.  1. OL produced 608 copies of a videotape entitled, "1986 Retirement and Financial Planning Seminar," for the Office of Personnel.  m. The Intelligence Community Staff (ICS) has informed the Printing and Photography Division, OL, that the publication date for the Congressional Budget Justification Books has been extended until 28 January 1987.		
o. On 5 December, considerable damage was incurred to a Mail & Courier Branch station wagon when it was sideswiped on Executive Avenue at the Southwest Gate to the White House. The driver of the truck which struck our vehicle was determined to be at fault by the D.C. Police Department.  p. OL reports that a questionnaire was mailed out on 3 and 4 December to members of the Executive Dining Room (EDR) concerning the overall operations of the EDR. The response has been very good and included valuable feedback for use by the management.  * q. On 2 December, judges appointed by the Fine Arts Commission selected winners of the contest to design a large	25X1 25X1	

3

graphic mural to decorate the walls of the Headquarters indoor jogging track. The top three winners are:  Real Estate and Construction Division, OL - \$600;  Office of Development and Engineering, D/S&T,  - \$300; and Real Estate and Construction Division, OL - \$100. These employees will receive honorariums from the Office of Medical Services and the first place design will be transferred onto the track walls by the end of January. All entries will be displayed in the FAC Exhibit Hall in early January 1987.  r. OL reports that a domestic water outage at Headquarters is scheduled for the next two weekends, 13 and 20 December from 0600 to 2400 hours. The outage will affect all restrooms, laboratories, and water fountains in the building. The purpose of this outage is to tie in the domestic water pipe to the existing system. This outage has been coordinated with the Printing and Photrography Division, OL.  s. The afternoon courier operations will be curtailed on 18 December due to Christmas parties. Special runs will be covered during this period as needed. Notices will be delivered during the week of 8 December alerting all	25X1 25X1 25X1 25X1 25X1
components to this scheduled break in regular service.  Regular service will resume on 19 December.	25X1
u. The Chief, Procurement Management Staff, OL,	25X1
briefed the Director of Finance and other senior representatives on the Agency's implementation of the	25X1
report on 5 December. On 9 December, the	25X1
Director of Security was also briefed on the report.	25X1 25X1
v. OL reports that two separate incidents over the weekend impacted on the Wang Systems A power fluctuation around noon on Saturday brought one of the Wang systems down and the data being worked on at the time was lost. At some point on Saturday or Sunday, a pipe carrying coolant to one of the air handlers in the DAC rusted through causing temperatures in the DAC to exceed 90 degrees. The Wang equipment in the DAC was powered off until the air handler was repaired and the temperature returned to an acceptable level.	25X1

4

25X1

Sanitized Copy Approved for Release 2011/07/18 : CIA-RDP89-00063R000200240039-8 S E C R E T

25X1

25X1

facilitate the loading of employee records. The OL training officer has scheduled a mid-January demonstration of LETTS to senior DA training officers.						

	25X1
ee. OL reports that on 6 December a power outage	
occurred causing the Buildings	25X1
to lose power. In the emergency generator water hose	25X1
developed a leak which resulted in a malfunctioning of a	
switch which caused the auxiliary fuel tank to overflow and	
spill into the underground garage. The fire department was	
called as a precautionary measure and the diesel oil was removed from the garage on the same day.	25X1
removed from the garage on the same day.	
ff. The removal of small quantities of asbestos from	
both the Buildings is being undertaken by	25X1
(the Building Owner) in order to comply	25X1 25X1
with the EPA rules and regulations. Work began in Building on 1 December and was completed on 7 December.	25X1
is scheduled to go into the first floor of the	25X1
Building to remove limited quantities of asbestos	25X1
from the steel structural beam across the rear of the	
building. The work will be completed during the week of	
8 through 12 December. The scheduled removal of asbestos will be at the landlord's expense and there will be minimal	
disruption of activities within the buildings.	25X1
<ol> <li>Significant Events Anticipated During the Coming Week:</li> </ol>	
a. A meeting of all senior contract officers will be held from 15 to 17 December	25X1
Neid Ilom 12 co 17 December	25X1
	25X1
b. The OL Christmas party will be held at the	230.
Annex on 18 December from 1500 to 1800 hours.	0.5
	25X1
John M. Ray	
<b>,</b>	

6